


What should I know about Pompe disease?



What is Pompe disease?

Pompe disease is a rare **neuromuscular disorder**. It is a serious genetic disorder that is inherited from both parents in what is called an **autosomal recessive** pattern.¹

Other names are sometimes used for Pompe disease, including acid maltase deficiency and **glycogen storage disease type II**. It is part of a larger group of conditions called **lysosomal disorders**.^{1,3}

There are 2 main types of Pompe disease: **infantile-onset** and **late-onset**. The infantile-onset type of Pompe disease begins during the first year of life and has a classic form and a non-classic (less severe) form. Late-onset Pompe disease appears later in childhood or during adulthood.^{2,3}

An infant's cross-reactive immunological material (CRIM) status can help determine his or her response to treatment. CRIM-positive infants make some GAA, while CRIM-negative infants make no GAA. Usually, the earlier the **signs** and **symptoms** of Pompe disease appear, the more quickly they get worse and the more severe they may eventually become.^{2,4}


Sometimes it's difficult for doctors to diagnose Pompe disease, since many of its symptoms can be mistaken for those of other neuromuscular disorders.^{2,3}

(Note: some words that may be unfamiliar are highlighted and are defined in the glossary at the end of this brochure)

How does Pompe disease affect families?

People have two copies of most of the genes in their **cells**. One of these copies is inherited from their father and one from their mother. If BOTH copies of a person's GAA gene (see 'What should I know about Pompe disease?') have a variant associated with Pompe disease, he or she will have Pompe disease. But if ONLY ONE copy has a variant and the other copy is normal, he or she will be a carrier of Pompe disease. Carriers of Pompe disease can pass the disease down to their children, but usually do not have any of its signs or symptoms themselves.

Whether or not a person gets Pompe disease depends on their parents' genes and how they are passed down. For example, if both parents are carriers (see graphic below), each of their children will have a:



- 1-in-4 (25%) chance of inheriting 2 copies of the variant and having Pompe disease and being a carrier
 - 1-in-2 (50%) chance of inheriting 1 copy of the variant and 1 normal gene, 2 normal genes and being unaffected
 - 1-in-4 (25%) chance of inheriting 2 normal genes and being unaffected
- Other scenarios also can occur, depending on the parents' genes. For example, if one parent has Pompe disease and the other parent is unaffected, none of their children will develop Pompe disease, but all of them will be carriers.

What do these words mean?

- Autosomal recessive:** an inheritance pattern in which two copies of a gene variant must be present in order for the trait or disorder to develop
- Cell:** basic building block of all living things
- Cross-Reactive Immunological Material (CRIM):** a measurement of natural GAA enzyme production
- Deoxyribonucleic acid (DNA):** substance within genes that contains instructions, or code, for making proteins, including enzymes
- Diaphragm:** a thin sheet of muscle that separates the chest from the abdomen and plays a vital role in the breathing process
- Enzyme:** a special type of protein that speeds up chemical reactions that take place within a cell
- Enzyme replacement therapy (ERT):** a treatment that replaces missing or nonfunctioning enzymes
- Lysosomal enzyme:** a special protein found within the lysosome of cells that break down one substance into another
- Lysosome:** a sac found in cells that contains enzymes that digest cell waste
- Neuromuscular disorder:** a disorder that affects the nerves that control voluntary muscles and the nerves that communicate sensory information back to the brain
- Sign:** objective evidence of a disease or condition that can be recognised by the patient as well as a health-care professional
- Skeletal muscle:** muscle connected to the skeletal system that helps move the limbs and other parts of the body
- Sleep apnea:** a disorder in which a person's breathing repeatedly stops briefly during sleep
- Symptom:** subjective evidence of a disease or condition that can be recognised only by the patient
- Stroke:** damage to the brain resulting from blockage of blood flow or rupture of a blood vessel

Other resources that may be helpful are listed below.

- International**
- International Pompe Association
 - The Association for Glycogen Storage Disease UK
- Australian Pompe Association**
- Canadian Association of Pompe**
- Selbsthilfegruppe Glykogenose Deutschland e.V.**
- Spierziekten Nederland**
- EURORDIS**
- Pompe Support Network**
- Associazione Italiana Glicogenosi (AIG)**
- New Zealand Pompe Network**
- United States**
- United Pompe Foundation
 - Acid Maltase Deficiency Association
 - Muscular Dystrophy Association
 - National Organization for Rare Disorders

References: 1. Ambrosino N, Confalonieri M, Crescimanno G, Vianello A, Vitacca M. The role of respiratory management of Pompe disease. *Respir Med.* 2013;107(8):1124-1132. 2. Kohler L, Puertollano R, Raben N. Pompe disease: from basic science to therapy. *Neurotherapeutics.* 2018;15(4):928-942. doi:10.1007/s13311-018-0655-y 3. Kishnani PS, Steiner RD, Bali D, et al. ACMG Work Group on Management of Pompe Disease. Pompe disease diagnosis and management guideline. *Genet Med.* 2006;8(5):267-288. 4. Sun A. Lysosomal storage disease overview. *Ann Transl Med.* 2018;6(24):476. doi:10.21037/atm.2018.11.39 5. Burton, BK, Charrow J, Hoganson GE, Waggoner D, et al. Newborn screening for lysosomal storage disorders in Illinois: the initial 15-month experience. *J Pediatr.* 190:130-135. doi:10.1016/j.jpeds.2017.06.048 6. Dasouki M, Jawdat O, Almadhoun O, et al. Pompe disease: literature review and case series. *Neural Clin.* 2014;32(3):751-ix. doi:10.1016/j.ncl.2014.04.010 7. Tajima A, Picillo E, D'Ambrosio P, Cacio MR, Viggiano E, Politano L. Genetic counseling in Pompe disease. *Acta Myol.* 2011;30(3):179-181. 8. Reuser AJJ, van der Ploeg AT, Chien Y-H, et al. GAA variants and phenotypes among 1,079 patients with Pompe disease: data from the Pompe Registry. *Human Mutation.* 2019;40:2146-2164. 9. Ngwisara L, Wattanasirichaigoon D, Tim-Aroon T, et al. Clinical course, mutations and its functional characteristics of infantile-onset Pompe disease in Thailand. *BMC Med Genet.* 2019;20:156. doi:10.1186/s12881-019-0878-8 10. Hahn A, Schänzer A. Long-term outcome and unmet needs in infantile-onset Pompe disease. *Ann Transl Med.* 2019;7(13):283. doi:10.21037/atm.2019.04.70 11. Toscano A, Rodolico C, Musumeci O. Multisystem late onset Pompe disease (LOPD): an update on clinical aspects. *Ann Transl Med.* 2019;7(13):284. doi:10.21037/atm.2019.07.24 12. Leslie N, Bailey L. Pompe disease. In: Adam MP, Ardinger HH, Pagon RA, et al, eds. GeneReviews® [Internet]. Seattle, WA: University of Washington, Seattle; 1993-2019. National Institutes of Health. Revised May 2017. <https://www.ncbi.nlm.nih.gov/sites/books/NBK1261/>. Accessed December 8, 2019. 13. van der Ploeg AT, Kruijshaar ME, Toscano A, et al. European consensus for starting and stopping enzyme replacement therapy in adult patients with Pompe disease: a 10-year experience. *Eur J Neurol.* 2017;24(6):768-e31. doi:10.1111/ene.13285

A VISUAL GUIDE

TO UNDERSTANDING

POMPE DISEASE



INFORMATION FOR PEOPLE LIVING WITH POMPE DISEASE

Developed by Amicus Therapeutics as part of our ongoing commitment to the patient community to enable education in healthcare and research.



Please discuss any medical questions with a health-care professional (HCP). If you would like to provide feedback on this educational resource or would like additional information please contact: medinfoaustralia@amicusrx.com or patientadvocacyintl@amicusrx.com.

Copyright ©2023 Amicus Therapeutics, Inc. All rights reserved. A company registered in England and Wales (number 05541527)
 NP-NH-AU-00004623
 Date of preparation: June 2023




What causes Pompe disease?



Everyone has information called **DNA** coded into his or her cells.



DNA is inherited through **genes** that are passed down from the person's mother and father.



Sometimes, **gene variants** (also called mutations) occur in the DNA code that makes up a particular gene that can change the way the gene functions.



Think of it like spelling. One wrong letter can completely change the meaning of a word!



Some people with Pompe disease have gene variants that cause their bodies to make very little or no GAA.⁸




Others have different variants that cause their bodies to make some GAA, but not enough, and/or GAA that does not function correctly.⁸


What are the signs and symptoms of Pompe disease?

How mild or severe the signs and symptoms of Pompe disease are—and how quickly they get worse—may vary from person to person in both the infantile-onset and late-onset types of the disease. This may be determined by how much GAA enzyme a person has and how well it is functioning, as well as other possible factors.⁸ Not every person who has Pompe disease will experience every sign and symptom listed below.

INFANTILE-ONSET POMPE DISEASE



LATE-ONSET POMPE DISEASE^{2,11}



Management of Pompe disease

Please speak with your health-care provider about treatments for Pompe disease.



People with Pompe disease also may receive supportive treatments to help manage the signs and symptoms of the disorder. For example, physical therapy can help improve muscle strength, and the use of a walker or wheelchair may help improve mobility. Mechanical ventilators or feeding tubes may be necessary in some cases.³

A doctor suspects Pompe disease—here's an example of what can happen^{12,13}

